## UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/163,207	09/29/1998	LEANDRE ADIFON	4167-18	9731
26584 7590 10/22/2007 OTIS ELEVATOR COMPANY INTELLECTUAL PROPERTY DEPARTMENT			EXAMINER	
			RUDY, ANDREW J	
	10 FARM SPRINGS FARMINGTON, CT 06032		ART UNIT	PAPER NUMBER
			3627	
			MAIL DATE	DELIVERY MODE
			10/22/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



## UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
00162207	0/20/09	ADJEON ET AT	41.67.10

09163207 9/29/98 ADIFON ET AL.

4167-18

OTIS ELEVATOR COMPANY
INTELLECTUAL PROPERTY DEPARTMENT
10 FARM SPRINGS
FARMINGTON, CT 06032

EXAMINER

Andrew Joseph. Rudy

ART UNIT PAPER

3627

20071016

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner for Patents** 

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone confirmation by Ms. Linda A. P. Cunha (Reg. No. 45,767) on October 15, 2007.

The application has been amended as follows:

Claim 25 will depend from claim 24.

Andrew Joseph Rudy Primary Examiner Art Unit: 3627

571-272-6789